

CERTIFICATE

of constancy of performance 1922 - CPR - 1314

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Corrugated safety metal hose assemblies for the connection of domestic appliances using gaseous fuels - Type 1, DN 12, Reaction to fire class E (For list of controlled characteristics, see Annex 1 to 1922-CPR-1314 that is an inseparable part of this certificate)

placed on the market under the name or trade mark of

AK GRUP TESİSAT MALZEMELERİ SAN. İÇ ve DIŞ TİC. LTD. ŞTİ. CUMHURİYET MAH. SERİN SOKAK NO: 15A KARTAL/ İSTANBUL/ TURKEY

and produced in the manufacturing plant of

AK GRUP TESİSAT MALZEMELERİ SAN. İÇ ve DIŞ TİC. LTD. ŞTİ. CUMHURİYET MAH. SERİN SOKAK No: 15A KARTAL/ İSTANBUL/ TURKEY

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14800:2007

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 10.02.2020 and will remain valid until 10.02.2023 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address www.dedal-bg.net.









Manager:

dipl. eng. Anna Vasileva

Issued: Burgas, 15 April 2022

Ref. No. 02-00



ANNEX I TO CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL 1922-CPR-1314/ 15.04.2022

List of the controlled essential characteristics, acc. to EN 14800:2007

Essential Characteristics	Clause (s) of EN 14800:2007	Results
Reaction to fire	5.11	pass
Crushing strength	5.17 5.19.2	pass
Structural strength	5.4	pass
Longitudinal bending strength	5.14.1 5.15 5.16	pass
	5.14.2	NPD
Maximum load for admissible deformation	5.7 5.13	pass
Dimensional tolerances	5.19.1	pass
Impact resistance	5.19.2	pass
Penetration resistance	5.18.2	pass
Electrostatic behaviour	4.8 5.6	pass
Tightness	5.3	pass
Effectiveness	5.5	NPD
Mechanical strength	5.7	pass
	5.19.3	pass
Release of dangerous substances	4.12	NPD
Permeability	5.3.1	pass
Tightness (in case of fire)	5.12	pass
Durability	5.10/ 5.8/ 5.9/ 5.12/ 5.14/ 5.15/ 5.16/ 5.19.3	pass
	4.3	NPD
	4.4	NPD
	4.5	NPD





Ta Ta



Issued: Burgas, 15 April 2022

Ref. No. 02-00